



**NOTICE TO CONTRACTORS
HIGHWAY CONSTRUCTION**

January 17, 2012

Sealed bids will be received in the Bid Room SA-19, located on the service level of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited.

Bonds submitted on other than the bond form provided by the department may be subject to rejection.

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person, who believes his/her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact one of OEO's Title VI Coordinators at (360) 705-7089 (Western Washington) or (509) 324-6018 (Eastern Washington). WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7089 (Western Washington) or (509) 324-6018 (Eastern Washington).

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specification. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening. Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Spokane and the offices of the Regional Administrators or the Headquarters of the Department of Transportation, where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted.

FEE

Project Documents will be furnished for the non-refundable fee of: **\$ 25.00 Plus Sales Tax**
(Remittance may be made to the Department of Transportation Cash Receipts, Transportation Building, P.O. Box 47305, Olympia, WA 98504-7305)

TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360.
Current Bid Results are available through the Internet address below.

Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at: <http://www.wsdot.wa.gov/biz/contaa>

ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.

Americans with Disabilities Act (ADA) Information

If you would like copies of this document in an alternative format - large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097. Individuals requiring reasonable accommodation may request written materials in alternate formats, sign language interpreters, physical accessibility accommodations, or other reasonable accommodation by contacting the event sponsor Greg Morehouse 360-705-7017, usually 2 weeks before the bid opening. Persons with hearing impairments may call Washington State Telecommunications Relay Service TT 1-800-833-6388 Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to the event sponsor's phone number.

BID OPENING WEDNESDAY, JANUARY 25, 2012

- *1. (YAKIMA) **NILE VALLEY LANDSLIDE – RE-CONSTRUCT ROUTE** (CL 1, \$5,000,000 – \$7,500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 16%.** F.A. No. ER-1001(003) on SR 410, MP 107.37 to MP 108.58. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Rebuilding the entire section of SR 410 highway around the toe slope of the Nile Valley landslide, improve intersections at the west end of the project, restore wetlands, grading, drainage, surfacing, paving with HMA, planting, beam guardrail, traffic control and other work. 100 Working Days. Involves 91 items. 58030 CY rdwy excav incl haul, 97810 CY embank comp, 3 ACRE soil decompaction, 90260 T quarry spalls, 14510 T crushed surface base course, 3270 SY plane bit pvmt, 8470 T HMA CL 1/2 IN PG 64-28, 1710 LF wattle, 4264 CY topsoil, 1736 EA common snowberry, 959 EA golden currant, 1180 EA black cottonwood, 2076 EA willow, 2 ACRE fine compost, 2 ACRE soil amend, 2 ACRE bark or wood chip mulch, 8360 LF high vis fence, 8 EA habitat struct, 6290 LF beam guardrail, 130 EA flex guide post, 78990 LF paint line, 400 HR training, 13490 T rock. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum items for: Irrigation sys, isolation zone plan, flood protect struct, perm signing, illum sys, temp traffic control, SPCC plan.(XL-3811)(541002T)(11Y012)(8240)(5 of 5)(1)
- *2. (PIERCE) **VIC I-5 TO PUYALLUP RIVER BRIDGE SIDEWALK RAMPS** (CL 17, \$600,000 – \$750,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 19%.** F.A. No. NH-0167(045) on SR 167, MP 4.14 to MP 6.26B. Requires: Removing existing sidewalk ramps, planing pavement, installing ADA compliant sidewalk ramps, pavement repair and marking, traffic control and other work. 60 Working days. Involves 43 items. 240 T crushed surface base course, 94 T commercial HMA, 1117 LF cement conc traffic curb & gutter, 698 LF cement conc pedestrian curb, 1107 SF plastic crosswalk line, 336 SF const signs CL A, 32 SF detectable warning surface, 800 SY cement conc curb ramp, 20 LF mod cement conc traffic curb & gutter. Lump Sum Bids for: Perm signing, traffic signal sys, temp traffic control, pedestrian traffic control, cure box, rdwy survey, licensed survey, SPCC plan.(XL-3989)(316724A)(11C519)(8245)(4of 4)(1)

BID OPENING WEDNESDAY, FEBRUARY 1, 2012

- *1. (WHATCOM) **SAMISH WAY AND NORTHWEST AVE TO BIRCH BAY LYNDEN RD VIC – ATIS** (CL 16, \$5,000,000 - \$7,500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8%.** F.A. No. CBI-0055(240) on I-5, MP 251.63 to MP 271.67. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Installing ITS, directional boring, electrical system modifications, beam guardrail, erosion/water pollution control, traffic control and other work. 65 Working days. Involves 67 items. 958 T gravel borrow incl haul, 1076 T crushed surface base course, 2530 LF silt fence, 10 ACRE mulch with moderate term mulch, 10 ACRE temp seeding, 394 SY fine compost, 394 SY bark or wood chip mulch, 1545 LF high vis fence, 1876 LF beam guardrail, 6 EA beam guardrail trans section, 8 EA beam guardrail non-flared term, 8500 LF elec sys mod, 404 EA grounding exist jct box, 7103 LF directional boring. Lump Sum Bids for: Elec sys mod, traffic data accum & ramp meter sys, CCTV sys, comm conduit sys, comm cables & interfaces, video, voice and data dist & trans sys, temp traffic control, health & safety plan, SPCC plan. (XL-3764)(100589B)(11A014)(8239)(5 of 6)

BID OPENING WEDNESDAY, FEBRUARY 8, 2012

PRE-BID MEETING NOTICE

The Project Engineer will conduct a pre-bid meeting for the above project to answer any questions about this project. Proposal holders shall give notice of intent to attend the meeting to the Project Engineer by phone (509) 577-1705 or fax (509) 577-1749 by 5:00 p.m., January 25, 2012. Attendance **is not** mandatory.

Time/location: January 26, 2012, 10:00 a.m. to 12:00 p.m. SOUTH CENTRAL REGION, Region Office Boardroom, 2809 Rudkin Road, Union Gap, Yakima, WA 98909-2560

- *1. (YAKIMA) **SATUS CREEK VICINITY – REPLACE BR. 97/106 AND PAVING** (CL 1 & 4 or 6, \$7,500,000 - \$10,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 15%.** F.A. No. BR-NHS-0097(084) on US 97, MP 44.50 to MP 46.45. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Removing existing timber and steel girder bridge, roadway excavation including haul, contour grading, drainage items, constructing and removing a temporary bridge and detour, constructing a prestressed concrete

girder bridge, furnish and installing structural shoring, traffic barrier, beam guardrail, retaining walls, CSBC, HMA, erosion control, seeding, fertilizing and mulching, paint line, wire fence, traffic control and other work. 177 Working days. Involves 130 items. 29200 CY rdwy excav incl haul, 64090 CY common borrow incl haul, 74640 CY embank comp, 1020 T light loose rip rap, 1605 T quarry spalls, 2400 LF underdrain pipe, 5500 CY struct excav CL A incl haul, 4200 CY gravel backfill, 175060 LB st rebar, 2832 CY conc CL 4000, 524 LF prestressed conc girder, 2395 SY permeon treatment, 2642 LF traffic barrier, 28490 T crushed surface base course, 18630 T HMA CL 1/2 IN PG 64-28, 7240 LF wattle, 5 ACRE seed, fert, mulch, 90 EA red osier dogwood, 90 EA black cottonwood, 90 EA golden currant, 90 EA chokecherry, 90 EA coyote willow, 23100 LF high vis fence, 2690 T rock, 10065 LF beam guardrail, 2000 LF temp conc barrier, 47270 LF paint line, 30990 LF temp pvmt marking, 820 SF const signs CL A, 1400 LF temp fence, 17700 LF wire fence, 3830 SY const geotextile. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Infiltration berm, temp bridge, shoring or extra excav CL A, temp traffic control, cure box, struct survey, clean exist drain struct, stream isolation, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 100 SF bridge deck test slab, 44500 LB epoxy coated st rebar, 10100 LB st rebar, 166 CY conc CL 4000D, 84 CY conc CL 4000, 12 EA elastomeric bearing pad, 12 EA elastomeric girder stop pad. (XL-1043)(509703L)(11Y013)(8244)(2 of 4)

BID OPENING THURSDAY, FEBRUARY 23, 2012

- *1. (CLARK)**RIDGEFIELD INTERCHANGE STAGE II – ROADWAY IMPROVEMENTS** (CL 4, \$2,000,000 - \$3,000,000) CONTAINS CONDITION OF AWARD DBE GOAL: 25%. F.A. No. HP-0501(022) on SR 501, MP 19.50 to MP 19.79 **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Constructing two separate roundabouts, drainage, illumination, paving, signing, utility work, decommissioning septic tank, traffic control and other work. 90 Working days. Involves 130 items. 7064 CY rdwy excav incl haul, 22307 T gravel incl haul, 12045 CY embank comp, 96 LF sch A culv pipe, 35 EA catch basin, 2567 LF test storm sewer pipe, 2567 LF sch A storm sewer pipe, 225 LF ductile iron sewer pipe, 331 LF ductile iron pipe, 7322 T crushed surface base course, 646 SY roundabout truck apron, 7132 T HMA CL 1/2 IN PG 64-22, 6030 SY compost blanket, 1433 LF silt fence, 1435 CY topsoil, 4395 EA shrub mix, 510 CY bark or wood chip mulch, 3747 LF high vis fence, 2540 LF cement conc traffic curb and gutter, 4577 cement conc traffic curb, 1361 LF mountable cement conc traffic curb, 634 LF roundabout central island cement conc curb, 760 LF roundabout truck apron cement conc curb & gutter, 4714 LF paint line, 5668 LF plastic line, 273 CY cement conc buffer, 2 EA welcome to Ridgefield signs, 10143 conduit pipe, 1382 LF utility trench, 1705 CY struct excav CL B incl haul, 9614 SF shoring or extra excav CL B, 2725 SY cement conc sidewalk, 430 SY cement conc driveway entrance, 17 EA cement conc curb ramp, 240 SF detectable warning surface. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Outlet mod, sanitary sewer connect, irrigation sys, perm signing, illum sys, temp traffic control, pedestrian control & protect, utility install, decommission septic sys, SPCC plan. (TA-3214)(450111R) (11X314)(8246)(2 of 6)

Paula J. Hammond, P.E.
Secretary of Transportation

* Previously Advertised
** Extended
*** Revised

Projects awarded the week of January 9, 2012

(Mason) S of Beacon Point Dr Culvert Replacement - #8234 – Thompson Bros. Excavating, Inc., Vancouver, WA 98682-9676 - \$260,401.25

(King) NE 85th St I/C & SR 522/SR 523 I/S Pedestrian Access - #8233 – Marshbank Construction, Inc., Lake Stevens, WA 98258-8699 - \$195,359.00

(King & Snohomish) NE 6th St to I-5 Widening and Express Toll Lanes Design Build - #8204 – Flatiron Constructors, Inc., Firestone, CO 80504-5445 - \$155,500,001.00